

Argento 36

TAI - MCM



TAI - MCM



















PROFILE III FB




PROFILE IV FB




PROFILE I 36'



PROFILE II 32'




SUNDECK V FB



LOWDECK V FB




LOWDECK I




LOWDECK II




LOWDECK III




LOWDECK IV




SUNDECK I



SUNDECK II



SUNDECK III



SUNDECK IV

Caratteristiche Tecniche

Lunghezza	m .	10,98
Larghezza	m .	3,10
Dislocamento(pieno carico)	m .	0,73
Peso a vuoto	kg .	6.500
Posti letto	n °	4 + 1
Portata persone	n °	15
Serbatoio carburante	L .	800
Serbatoio acqua	l .	400
Velocità max	nodi	40/60
Velocità di crociera	nodi	35/48

Materiali VTR Stratificato Compositi

Progetto TAI-AMC Divisione Progetti

Omologazione
Categoria 
B

Motorizzazione 2 Mt Benzina da 305 a 525 HP
2 Turbodiesel da 260 a 440 HP

Technical Specifications

Lenght	m .	10,98
Width	m .	3,10
Max Draft (full load)	m .	0,73
Weight (empty)	kg .	6.500
Beds	n °	4 + 1
Person capacity	n °	15
Fuel tank	l .	800
Water tank	l .	400
Max speed	knots	40/60
Cruise speed	Knots	35/48

Materials Laminated Fiberglass
Advanced Composites

Project TAI-AMC Project Division

Omologation
Category 
B

Engines 2 Gazoline Engines from 305 to 525 HP
2 Turbodiesel Engines from 260 to 440 HP



TAI-MCM Via Cerano 24 - 28060 Sozzago (NO) - Italy - Ph +39 0321 70 00 69 - Fax +39 0321 70 149
info@taiboats.com - www.taiboats.com